

Phone: 02 67425588

Email: sales@chaffeys.com.au

Website: https://www.chaffeys.com.au

31-33 Bloomfield St Gunnedah NSW 2380



Honda UMK425 Bike Handle Brushcutter

POA

Specifications

Boat Details

Price POA Boat Brand Honda

Model UMK425 Bike Handle Brushcutter Length 0.00

Year 2022 Category Brushcutters

Hull StyleHull TypePower TypeStock Number

Condition New State New South Wales

Suburb GUNNEDAH Engine Make

Disclaimer



Phone: 02 67425588

Email: sales@chaffeys.com.au

Website: https://www.chaffeys.com.au

31-33 Bloomfield St Gunnedah NSW 2380

Description

Boasting the latest in Honda's ultra-compact, lightweight, 4-Stroke engines, Honda'sUMK425 Bike HandleBrushcutter pumps out superb power and more torque than ever before.

Powered by Honda's new Generation II GX25 Mini 4-Stroke engine, the UMK425 is designed to deliver power that no 2-stroke competitor can match. Its ultra-compact, lightweight design means it's easier to handle and will keep you working longer with less fatigue.

And as you've come to expect from Honda, the UMK425 Bike's famous one pull easy-start system ensures it starts first time, every time. Honda Quality

Honda leads the world with revolutionary mini 4-Stroke engines that deliver more power and use less oil, and the UMK435is a perfect example of Honda engineering at its best.

It uses unleaded fuel so you'll never have to mix oil and fuel again, and it's environmentally-friendly with low emissions, less noise and low fuel consumption compared to other Brushcutters.

With a 360° fully inclinable operation, a comfortable solid drive shaft and a unique anti-vibration engine mount, Honda's quality extends to your comfort too. Technology & Design

TheUMK425 Bikedelivers excellent torque and performance via its Generation II, GX25 mini 4-Stroke engine.

It also features an ergonomically designed easy-grip bike handle, safety goggles & operator harness and the ability to operate across 360°, reducing the workload on your back and shoulders.

And on the ground, theUMK425 Bikemakes tough jobs easy with a 4-tooth metal blade plus a heavy-duty tap-and-go nylon line head. Specifications

ENGINE □□□GX25

DISPLACEMENT □□□25cc

BORE AND STROKE □□□35 x 26mm

MAXIMUM POWER OUTPUT □□□0.81W (1.1hp) @ 7000rpm

MAXIMUM TORQUE OUTPUT [][]1.25N.m @ 5000rpm

LUBRICATION SYSTEM □□□Rotary Type (oil mist)

OIL CAPACITY (LITRES) □□□0.08 litres

FUEL TANK CAPACITY (LITRES) □□□0.55 litres

FUEL TYPE □□□Unleaded

DIMENSIONS (LxWxH) □□□1,860 x 640 x 450 (mm)

DRY WEIGHT □□□6 kg (without cutting head)

BLADE □□□Yes (4 tooth)

ANTI-VIBRATION □□□Yes

GUARDS [[[]2

GOGGLES [[[[]]]Yes

HARNESS ∏∏∏Full Operator Harness

HANDLE TYPE ∏∏Bike

DRIVE SHAFT DD Solid

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 67425588

Email: sales@chaffeys.com.au

Website: https://www.chaffeys.com.au

31-33 Bloomfield St Gunnedah NSW 2380

Disclaimer